REFERENCES

[1] Ogale S. B., (1990), Ion implantation and laser treatment of III-V compound semiconductor: A brief report, *Bull. Mater. Sci.*, 13, 51-56

[2] Godbole V. P., Chaudhari S.M., Ghaisas S.V., Kanetkar S.M., Ogale S.B., Bhide V.G., (1985), Interface sensitive conversion-electron Mosbaur study of ion beam mixing at the Fe-Al interface, *Phy. Rev. B. Condens. Matter*, 31(9), 5703-5711

[3] Joshi S., Nawathey R., Koinkar V. N., *Godbole V. P.*, Chaudhari S. M., Ogale S. B., Date S. K., (1990), Pulsed laser treatment of Fe_2O_3 film on Al_2O_3, *J. Appl. Phys.*, 67, 569

[4] Dorik Y. S., Bhide V. G., Kanetkar S. M., Ghaisas S. V., Choudhari S. M., Ogale S. B., (1984), Corrosion resistance of nitrogen implanted iron foils: A conversion electron Mössbauer effect study, J. *Appl. Phys.*, 56(9), 2566

[5] Poornima T., Nayak J., Shetty A. N., (2010), Studies on corrosion of annealed and aged 18 Ni 250 grade maraging steel in sulfuric acid medium, Port. *Electro. Acta*, 28, 173-188

[6] Stiller K., Danoix F., Bostel A., (1996), Investigation of precipitation in a new maraging stainless steel, *Appl. Surface Sci.*, 94/95, 326- 333

[7] Klobcar D., Tusek J., Taljat B., (2008), Aging of maraging steel welds during aluminum alloy die casting. *Mater. Sci.*, 44, 515–522.

[8] Grum J., Slabe J. M., (2006), Effect of laser-remelting of surface cracks on microstructure and residual stresses in 12Ni maraging steel, *Appl. Surface Sci.*, 252, 4486–4492

[9] Razek J., Klein I. E., Yahalom J., (1997), Structure and corrosion resistance of oxides grown on maraging steel in steam at elevated temperatures, *Appl, Surface Sci.*, 108, 159- 167

[10] Poornima T., Nayak J., Shetty A. N., (2010), Corrosion of aged and annealed 18 Ni 250 grade maraging steel in phosphoric acid medium., *Int. J. Ele. Sci.*, 5, 56–71,

[11] Adama C. M., Travis R. E., (1964), Welding of 18% Ni-Co- Mo maraging alloys, *Weld. J.*, 43, 193–197

[12]Poornima T., Nayak J., Shetty A. N., (2011), 3, 4-Dimethoxy benzaldehyde thiosemicarbazone as corrosion inhibitor for aged 18Ni 250 grade maraging steel in 0.5 M sulfuric acid, *Int. J. Electrochem. Sci*., 5, 56 – 7

[13]Sastry K.Y., Narayanan R., Shamantha C. R., Sunderason S. S., Seshadri S. K., Radhakrishnan V. M., (2003), Stress corrosion cracking of maraging steel weldment, *Mat. Sci. and Technol*., 19, 375-381,

[14]Rohrbach K., Schmidt M., (1990), Maraging Steels, ASM Handbook, 10th edn., Am. Chem. Soc. 1, 796,

[15]Lee D. G., Jang K. C., Kuk J. M., Kim I. S., (2005), The influence of niobium and aging in the 18 % Ni maraging steel, *J. Mat. Proc. Technol.*, 162-163, 342-349

[16]Kirk W. W., Covert R. A. May T. P., (1968), Corrosion behavior of high-strength steels in marine environment, *Metali. Eng*., 8, 31-38

[17] Dean S.W., Copson H. R., (1965), Stress corrosion behavior of maraging steel in natural environments, *Corrosion*, 21, 95-103

[18] Rezek J., Klein I. E., Yhalom J. (1997), Electrochemical properties of protective coatings on maraging steel, *Corrosion Sci.*, 39, 385-397

[19] Sinha P. P., (1982), Design and development of new variety of 250 grade stainless steel maraging steel, *Trans I. I. M*., 35, 2, 12

[20] Foud S., (2012), The study of corrosion behavior of maraging steels in aqueous media, *Chem. Engg. Comm.*, 12, 199

[21] Poornima T., Jagannatha Nayak, Nityananda Shetty A., (2010), Studies on corrosion of annealed and aged 18 Ni 250 grade maraging steel in sulphuric acid medium, *Port. Electrochim. Acta*, 28, 3

[22] Kirk W. W., Covert R. A, May T. P., (1968), Corrosion behavior of high-strength steels in marine environment, *Met. Engg. Quart.*, 8, 31–38

[23] Dean S.W., Copson H.R., (1965), Stress corrosion behavior of maraging nickel steels in natural environments, *Corrosion*, 21(3), 95

[24] Bellanger G., Rameau J. J., (1996), Effect of slightly acid pH with or without chloride in radio-active water on the corrosion of maraging steel, *J. Nucl. Mater.*, 228 , 24

[25] Bellanger G., Rameau J. J., (1995), Corrosion of nickel-chromium deposit on AISI 316L stainless steel in radioactive water with and without fluoride at pH 4, *J. Nucl. Mat*., 226, 104-109

[26] Data bulletin on 18% Ni maraging steels, (1964), The International Nickel Co., inc, ASM International A1 Books.co.in , 153

[27] Sanatkumar B. S., Nayak J., Shetty A. N., (2012), Influence of 2-(4-chlorophenyl)-2-oxoethyl benzoate on the hydrogen evolution and corrosion inhibition of 18 Ni 250 grade weld aged maraging steel in 1.0 M sulfuric acid medium, Int. J. Hydro. Energy, 37, 9431–9442

[28] Hondros E. D., Benard J., (1962), Le Bombadment Ionique, *Coll. Nat. de la Rech. Scient*, Paris, 113

[29] Brandy R., (1980), The simultaneous determination of Tafel constants and corrosion rate-A new method, *Corr. Sci.*, 20, 1017-1028

[30] Ashworth V., Carter G., Grant W. A., Jones P. D., Procter R.P.M., Sayegh N. N., Street A. D., (1976), *Ion Implantation in semiconductors and other Materials* (ed. B.L. Crowder) Plenum, NewYork,23

[31] Ayers J. D., Schaefer R. J., Bogar F. D., McCafferty E., (1981), Corrosion behavior of laser consolidated titanium coated steel in sea water, *Corrosion*, NACE, 37, 55

[32] McCafferty E., Moore P. G., Peace G. T.**,** (1982), Effect of Laser-Surface Melting on the Electrochemical Behavior of an Al-1% Mn Alloy, J. Electrochem. Soc., 129(1), 1-4

[33] Draper C. W., Ewing C. A., (1984), Review: Laser surface alloying: a bibliography, *J. Mater.Sci*., 19, 3815-3825

[34] Antony T. R., Cline H. E.**,** (1978), Surface normalization of sensitized stainless steel by laser surface melting, J. *Appl. Phys.*, 49, 1248

[35] Cottrell P. T., Frankenthal R. P., Kammlott G. W., Siconolfi D. J., Droper C.W.**,** (1982), Effect of Laser Surface Melting on Some Corrosion Characteristics of an Iron-Chromium Alloy**,** *J. Electrochem. Soc*., 130 (5)**,** 998

[36] Kulkarni A.V., Ram Lal, Kanetkar S. M., Choudhsri S. M., Ghaisas S.V., (1989), Corrosion beavior of pulsed laser treated maring steel: steel: Mössbauer spectroscopy and scanning electron microscopy study, *Rad. Eff.,* 107(2-4), 139-145

[37] Grum J., Slabe J. M., (2006), Effect of laser re-melting of surface cracks on microstructure and residual stresses in 12Ni maraging steel, *Appl. Sur. Sci*., 252, 4486-4492

[38] Damborenea, J., (1998), Surface modification of metals by high power lasers, *Sur. Coats. Tech.,* 100, 377-382

[39] Hao, L., Lawrence, J., (2006), Effects of Nd:YAG laser treatment on the wettability characteristics of a zirconia based bioceramic. *Optics and Lasers in Engg.* 44, 803-814

[40] Henari F.Z., Blau W., (1995), Excimer-laser surface treatment of metals for improved Adhesion, *Appl. Optics*, 34, 581–584

[41] Kac, S., Kusinki, J., (2004), SEM structure and properties of ASP2060 steel after laser melting, *Sur. Coats. Tech*., 180-181, 611-615

[42] Lawrence, J., Li L., (2001), A laser based technique for the coating of mild steel with a vitreous enamel, *Sur. Coats. Tech.*, 140, 238-243

[43] Martan J., Kunes J., Semmar N., (2007), Experimental mathematical model of nanosecond laser interaction with material, *Appl. Sur. Sci*., 253, 3525-3532

[44] Nicolas, G., Autric, M., Marine, W., Shafeev, G.A., (1997), Laser induced surface modifications on ZrO ceramics, *Appl. Sur. Sci.,* 109, 289–292

[45] Fedrizi I, Molinari A., Diflorian F., Tizian A., Bonora P., (1991), Corrosion study of hindustrially sintered copper alloyed 316L stainless steel, *Br. Corr. J.*, 26, 46-50

[46] Molinari A., (2000), Influence of processing conditions on mechanical properties of steel based on low prealloyed Cr-Mo powders (Astaloy CrM(R)), The Japan Society of Powder and Powder Metallurgy, *Proc. Powder met., World Congress*, Kyoto, Japan, 907

[47] Straffelini G., Molinari A., Fontanari V., Bertini L., (1996), Experimental and theoretical study of the bending behavior of sintered alloys with different microstructure. Procee. of World Congress on Powder Metallurgy & Particulate Materials, Washington D.C. (USA) p. 70-76

[48] Kazior J., Marcu Puscas T., Pieczonka T., Fedrizzi L., Molinari A., (2000), Mechanical properties and corrosion resistance of sintered duplex stainless steel, Proceedings, International

Conference on Powder Metallurgy & Particulate Mat. 2000, ed. Lezek A., Dobrazanski,, Gliwice-sopot-Gdarisk, Poland

[49] Straffelini G., Marcu Puscas T., Molinari A., (2001), Contact fatigue behavior of Ni-Cu-Mo alloyed PM steels, EPMA, *Proceedings of PM 2001*, Nizza (Francia), 116

[50] Menapace C., Libardi S., D'incau M., Molinari A., (2010), Microstructure and tensile properties of nanostructured and ultrafine grained FeMoB alloys produced by Spark Plasma Sintering of mechanically alloyed powders, *J. MATE. ENGG. PERF.*, 19, 533-540

[51] Vicente Jr. N., Lonardelli I., Magalini M., Molinari A., (2010). Strain hardenability of metastabile 17-4 PH stainless steel produced by Selective Laser Melting, Proceedings PM2010 World Congress, Shrewsbury UK, Firenze, 195-200

[52] Singh S., Athar F., Azam A., (2005), Synthesis, spectral studies and in vitro assessment for antiamoebic activity of new cyclooctadiene ruthenium(ii) complexes with 5-nitrothiophene-2-carboxaldehyde thiosemicarbazones. *Bioorg. Mei. Chem. Lett*., 15, 5424-5428

[53] de Souza-Fagundes E. M., Soares R. P. P., Andrade A. A., Krettli A. U., Zani C. L. (2008), Synthesis and antimalarial activity of semicarbazone and thiosemicarbazone derivatives, *Euro. J. Medi. Chem.*, 2, 43

[54] Arab S. T., (2008), Inhibition of thiosemicarbazone and some of its p-substituted compounds on the corrosion of iron-base metallic glass alloy in 0.5 M H_2SO_4 at 30 ^oC. *Mat. Res. Bull.*, 43, 510-521

[55] El-Shafei A. A., Moussa M. N. H., El-Far A. A. (2001), The corrosion inhibition character of thiosemicarbazide and its derivatives for C-steel in hydrochloric acid solution, *Mats. Chem. and Phy*., 70,175-180

[56] Poornima T, Nayak J., Shetty A. N., (2012), Effect of diacetyl monoxime thiosemicarbazone on the corrosion of aged 18 Ni 250 grade maraging steel in sulphuric acid solution, *J. Metallurgy*, 72, 3687

[57] Henrich L., Chandrashekhar G., Ahmed A,. (2011), Virus like particle production with Yeast: Ultrastructural and immunocytochemical insights into Pichia pastoris producing high levels of the Hepatitis B surface antigen, *Microbial Cell Factories*, 10, 1-10

[58] David D. G., Whitten G. (2009), Cationic conjugated polyelectrolytes and oligomeric polyelectrolytes as dark- and light-activated antimicrobials determining the scope and mechanism, *DTRA Basic and Appl. Res. Program Newsletter*, 2, 3

[59] Yan M. F., Liu R. L., Wu Y. Q., (2013), In Press, Accepted Manuscript, Grain and grain boundary characters in surface layer of untreated and plasma nitrocarbunized 18 Ni maraging steel with nanocrystalline structure, *Appl. Surface Sci.*

[60] Drew L. W., Barry A. L., O'Toole R., Sherris J. C., (1972), Reliability of the Kirby-Bauer Disc Diffusion Method for Detecting Methicillin-Resistant Strains of *Staphylococcus aureus, Appl. Microbiol.* 24(2), 240–247

[61] Bauer A. W., Kirby W. M. M., Sherrys J. C., Turck M., (1966), Antibiotic susceptibility testing by standard single disc method. *Am. J. Clin. Path.*, 45, 493-496

[62] Kumar A., Kumar D., (2007), Synthesis and antimicrobial activity of metal complexes from 2-(1'/2'-hydoxynaphthyl) benzoxazoles, *Gene. Papers, ARKIVOC,* 14, 117-125

[63] Yokota T., Tochihara M., Satoh S., (2001), Stainless steel product having excellent antimicrobial activity and method for production thereof, Patent No: US6, 306,341 B1

[64] Goasta wranglen, (1972), An introduction to corrosion and protection of metals, Butteler and Tanner Ltd., London, 134

[65] Ashworth V., Grant W. A., Procter R. P. M., Wellington T. C., (1976*),* The effect of ion implantation on the corrosion behavior of pure iron: Argon ion implantation, *Corr. Sci.*, 16, 393-403

[66] Zeng Z. M., Zhang T., Tian X.B., Tang B.Y., Kwok T.K., Chu P. K., (2000), Surface modification of 9Cr18 bearing steels by a metal and carbon co-plasma immersion ion implantation, *Sur. Coats. Tech.*, 128 (129), 236 -239

[67] Chu P. K., Tang B.Y., Cheng Y.C., Ko P. K., (1997), Third-generation plasma immersion ion implanter for biomedical materials and research, *Rev. Sci. Instrum.* 68, 1866

[68] Sonia S. (2007), Surface Engineering and Characterization of Laser Deposited Metallic Biomaterials. M. S. (Materials Science and Engineering) Thesis, 74, digital.library.unit.edu.

[69] Gibbson J. F, Hess L. D., Sigmon T. W., (1981), *Laser and Electron Beam Solid Interactions and Materials Processing*, Elsevier, North Holland, New York

S.D. Shinde
Research Scholar

Dr. P. S. Tambade
Physics Department
Prof. Ramkrishna More
Arts Commerce & Science College
Akurdi, Pune- 411 044.

Associate Professor & Head
A.A. College, Manchar